



# INDEX MAPS.

**T. 38N. R. 10E. 2<sup>nd</sup> Mer.**



**T. 29N. R. 11E. 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

Township No 29 North of Range No 11 E. 2<sup>nd</sup> Mer Indian

South Boundary

Note On South Boundary of Sec 36.

23, 88 A W. Oak 36 in. diam.

40, 00 Set a q. Sec post from which  
a Sugar 16 in. diam. bears N. 52 E. 38 links dist. &  
a W. Oak 24 " " " N. 36 W. 32 " "

42, 25 A Beech 28 " "

80, 00 Set a Post Cor. to Sec. 35 & 36 from which  
a Beech 15 in. diam. bears N. 31 E. 45 links dist. &  
a Q. 18 " " " N. 42 W. 56 " "

Land rolling & good 2<sup>nd</sup> rate. Timber. Beech  
Oak Ash. Sugar. Walnut. Elm. Hickory Lymn.  
Hc. Underg<sup>th</sup>. Spice Hc.

November 7<sup>th</sup> 1839

Note On South Boundary of Sec. 35.

7, 57 A Beech 18 in. diam.

40, 00 Set a q. Sec. post from which  
a Sugar 12 in. diam. bears N. 64 E. 29 links dist. &  
a Hickory 24 " " " S. 45 W. 22 " "

64, 90 A W. Oak 40 " "

80, 00 Set a Post Cor. to Sec. 34 & 35 from which  
a Maple 18 in. diam. bears N. 45 E. 53 links dist. &  
a W. Oak 30 " " " N. 81 W. 54 " "

Land rolling 2<sup>nd</sup> rate. Timber. Beech  
Oak, Ash, Elm, Walnut, Sugar, Hickory  
Lymn, Hc. Underg<sup>th</sup>. Spice Hc.

Note On South Boundary of Sec 34

23, 65 A W. Oak 30 in. diam.

40, 00 Set a q. Sec post from which  
a W. Oak 28 in. diam. bears N. 53 E. 43 links dist. &  
a Q. " " " N. 34 W. 53 " "

76, 90 A Beech 18 in. diam.

80, 00 Set a Post Cor. to Sec. 33 & 34 from which  
a Sugar 15 in. diam. bears N. 27 E. 58 links dist. & No 1



T. 29 N. R. 11 E 2<sup>nd</sup> Mer. Indiana.

a W. Oak 24 in. diam. bears N. 73 W. 28 lks. dist.  
Land rolling & good 2<sup>nd</sup> rate. Timber. Beech  
Oak. Sugar. Ash. Walnut. Hickory. Linn.  
Syc. &c. Underg<sup>th</sup> not much.

---

West On North Boundary of Sec 33.  
10. 18 An Ash 18 in. diam.  
13. 00 Road from St. Wayne to Indianapolis.  
35. 00 A Stream 35 links wide. Course S. W.  
37. 00 Same Stream " " " S. W.  
40. 00 Set a gr. the post from which  
a W. Oak 20 in. diam. bears S. 80 E. 18 links dist. &  
a Beech 14 " " " S. 65 W. 16 " "  
42. 00 Same Stream Course S. W.  
50. 00 Same Stream " " S. W.  
61. 05 An Elm 24 in. diam.  
63. 50 Same Stream S. W.  
80. 00 Set a Post Cor. to Sec. 32 & 33 from which  
a Hickory 36 in. diam. bears N. 45 E. 18 links dist. &  
a Sugar 18 " " " S. 43 W. 43 " "  
Land Rolling & rich. Timber. Beech. Sugar.  
Oak. Ash. Walnut. Hickory. Linn. &c.  
not much Underg<sup>th</sup>

---

West On North Boundary of Sec. 32.  
20. 20 An Ash 11 in. diam.  
37. 91 A Sugar 24 " "  
40. 00 Set a gr. the post from which  
a Beech 24 in. diam. bears N. 8 W. 10 links dist. &  
a Red Oak 18 " " " S. 88 W. 31 " "  
65. 08 An Elm 48 " "  
80. 00 Set a Post Cor. to Sec. 31 & 32 from which  
a Beech 18 in. diam. bears N. 59 E. 32 links dist. &  
a Sugar 15 " " " S. 75 W. 23 " "  
Land Rolling East 1/2 2<sup>nd</sup> rate. West 1/2 1<sup>st</sup> rate.  
Timber, Beech, Sugar, Walnut, Ash, Oak.

353

T 29 N. R. 10. E. S. 2 Mer. Indiana.

Elm. Hickory. Lynn. &c. Underg<sup>th</sup> Spice &c.

- West On South Boundary of Sec. 31.  
 10.50 Longlois Creek 60 links wide. Course N. W.  
 30.29 A W. Oak 24 in. diam.  
 40.00 Set a gr. Sec. post. from which  
 a Burr Oak 15 in. diam. bears N. 48 W. 14 links dist &  
 a Buckeye 14 " " " S. 21 W. 28 " "  
 58.68 An Ash 12 " "  
 71.65 Intersect the Boundary Cor. of Towns 28 & 29. N.  
 Ranges 10 & 11 East. at Post.  
 Land rolling, & good. Timber. Beech. Sugar. Elm.  
 Ash. Hickory. Lynn. Poplar. Buckeye. &c.  
 Underg<sup>th</sup> Spice &c.

East Boundary.

- North On East Boundary of Sec. 30  
 33.08 A W. Oak 24 in. diam.  
 38.50 Enter Wet Prairie  
 40.00 Set a gr. Sec. post. from which a  
 Cottonwood 10 in. diam. bears S. 11 W. 1.50 links dist &  
 a Maple 18 " " " S. 76 E. 1.35 " "  
 45.00 Leave the Prairie  
 45.35 A Walnut 18 in. diam. (Old sight tree.  
 50.00 Set a Post Cor. to Sec. 25 & 36 from which  
 an Ash 18 in. diam. bears S. 49 W. 49 links dist &  
 a Burr Oak 24 in. diam. bears N. 63 W. 18 links dist  
 Land level & met. Timber. Oak. Ash. Elm.  
 Hickory. Lynn. Cottonwood. Sycamore &c.  
 Underg<sup>th</sup> Spice &c.

- North On East Boundary of Sec. 25  
 14.14 An Elm 36 in.  
 35.83 A Beech 14 in. diam.  
 40.00 Set a gr. Sec. post. from which  
 a Beech 10 in. diam. bears N. 46 W. 11 links dist &

T 39 N. R 11 E. 2<sup>nd</sup> Mer. Indiana.

a Beech 30 in. diam. bears S 31 W. 26 links dist.  
 43.84 An Ash 24 in. diam. (Old right tree)  
 72.19 An Elm 15 " "  
 80.00 Set a Post Cor. to Sec. 24 & 25 from which  
 a W. Oak 12 in. diam. bears N 44 W. 45 links dist. &  
 an Elm 10 " " " S. 30 W. 39 " "  
 Land on the South  $\frac{1}{2}$  level & near North  $\frac{1}{2}$   
 rolling 2<sup>nd</sup> rate. Timber. Oak. Beech. Elm.  
 Ash. Hickory. Syc. Cottonwood. Sycamore  
 Spice. &c.

North On East Boundary of Sec 24  
 11.25 a W. Oak 6 in. diam.  
 31.24 An Ash 36 " "  
 40.00 Set a q. Sec. post. from which  
 a Beech 18 in. diam. bears N. 18 W. 50 links dist. &  
 an Ash 6 " " " S. 49 W. 16 " "  
 52.40 a W. Oak 30 in. diam.  
 59.71 An Elm 24 " " (Old right tree.)  
 60.00 Set a Post Cor. to Sec. 13 & 24 from which  
 a Sugar 12 in. diam. bears N. 34 W. 53 links dist. &  
 a Beech 14 " " " S. 31 W. 38 " "  
 Land. South part rolling 2<sup>nd</sup> rate North  $\frac{1}{2}$   
 level & near Timber. Beech. Oak. Elm. Ash.  
 Syc. Hickory. Cottonwood. Sycamore. &c.  
 Undergrowth. Spice &c.

North On East Boundary of Sec 13.  
 15.26 A Sugar 14 in. diam.  
 25.48 A Beech 15 " "  
 34.64 An Elm 14 " " (Old right tree.)  
 40.00 Set a q. Sec post from which  
 a Hickory 12 in. diam. bears N. 31 W. 57 links dist. &  
 an Elm 12 " " " S. 31 W. 66 " "  
 45.50 Road from J. Wayne to Indianapolis  
 55.04 A Poplar 15 in. diam.

73.58 An Ironwood 6 in. diam.

80.00 Set a Post Cor. to Sec. 12 & 13 from which  
an Elm 18 in. diam. bears N. 86 W. 8 links dist. &  
a W. Oak 24 " " " N. 2 W. 68 " "

Land rolling 2<sup>nd</sup> rate. Timber - Beech. Oak.  
Elm. Ash. Hickory. Sugar. Poplar. Walnut.  
&c. Undergrowth Spice. P. Ash. &c.

North On East Boundary of Sec. 12.

2.00 A Stream 15 links wide. Course S. E.

16.18 An Ironwood 6 in. diam.

22.87 A Maple 8 in. diam. (Old sight tree)

40.00 Set a q. Sec post from which  
a W. Oak 15 in. diam. bears N. 29 W. 42 links dist. &  
a Walnut 22 " " " S. 60 W. 37 " "

57.12 An Ash 36 " "

73.92 An Ash 8 " "

80.00 Set a Post Cor. to Sec. 1 & 12 from which  
a Buckeye 10 in. diam. bears N. 6 W. 48 links dist. &  
a Beech 16 " " " S. 84 W. 22 " "  
Land Rolling 2<sup>nd</sup> rate Timber. Beech. Oak.  
Sugar. Hickory. Elm. Poplar. Linn. &c.  
Undergrowth Spice. &c.

North On East Boundary of Sec. 1

12.43 A W. Oak 36 in. diam. (Old sight tree.)

19.46 Intersect the N. E. Boundary at Post.

Land rolling good 2<sup>nd</sup> rate. Timber as before.  
Dec. 1<sup>st</sup> 1839.

28.00 A Creek 60 links wide. Course N. W.

40.00 Set a q. Sec post. from which  
an Ironwood 6 in. diam. bears S. 35 E. 8 links dist. &  
a Do 4 " " " N. 85 W. 9 " "

72.50 Intersect the Township Corner of Towns 29 & 30  
Ranges 11 & 12 East

Land rich. Timber. Beech & Oak. Undergrowth Spices



T 39 N. R 11 E 2<sup>nd</sup> Mer. Indiana.~~North Boundary.~~

West On ~~South Boundary of Sec 35~~ T 30 N. R 11 E.  
 34.00 Set Post cor. to Sec. 34 & 36 from which  
 a Walnut 10 in. diam. bears N. 71 E. 36 links dist &  
 a Water Birch " " " N. 91 W. 48 " "  
 Land rolling & good 2<sup>nd</sup> rate. Timber. Birch. Ash  
 Oak. Elm. Poplar. Hickory. Gum &c. Underg<sup>th</sup> Spices

West On South Boundary of Sec 36 T 30 N. R 11 E.  
 15.82 A Birch 10 in. diam.  
 16.00 " 10 links wide; course, N. W.  
 23.50 A Creek 30 " " " N. W.  
 40.00 Set a q. Sec post from which  
 a Birch 12 in. diam. bears S. 66 E. 32 links dist &  
 a Do 12 " " " N. 83 W. 54 " "  
 80.00 Set Post cor. to Sec. 35 & 36 from which  
 a Walnut 10 in. diam. bears N. 71 E. 36 links dist  
 & a Water Birch " " " N. 91 W. 48 " "  
 Land rolling & good 2<sup>nd</sup> rate. Timber.  
 Birch. Elm. Oak. Hickory. Gum &c. Underg<sup>th</sup>  
 Spices &c.

West On South Boundary of Sec 35 T 30 N. R 11 E.  
 21.25 A Birch 18 in. diam.  
 28.52 A Do 12 " " (Old right tree.  
 40.00 Set a q. Sec post from which  
 a Birch 16 in. diam. bears N. 32 E. 20 links dist &  
 an Ironwood 10 in. " " S. 72 E. 24 " "  
 67.20 A Red Oak 36 " "  
 80.00 Set a Post Cor. to Sec. 34 & 35 from which  
 a W. Oak 18 in. diam. bears N. 50 E. 23 links dist &  
 a Do 30 " " " N. 58 W. 50 " "  
 Land rolling, and good 2<sup>nd</sup> rate. Timber. Sugar.  
 Ash. Elm. Poplar. Hickory. Gum. &c. Underg<sup>th</sup>  
 Spices &c.

West On South Boundary of Sec 34. T 30 N. R. 11 E.  
 2. 84 A W. Oak 30 (An Old sight tree.)  
 12. 00 Enter Wet Prairie  
 40. 00 Set a gr. Sec. post from which in Mound in  
 Prairie.  
 63. 50 Enter Point of Timber from South.  
 68. 54 A Buckeye 18 in. diam.  
 80. 00 Set Post cor. to Secs. 33 & 34 from which  
 a Burr Oak 12 in. diam. bears S. 33 W. 23 lks. dist. &  
 a Do. 12 " " " N. 85 W. 43 " "  
 Land level & new

West On South Boundary of Sec 33. T 30 N. R. 11 E.  
 6. 00 Enter Wet Prairie  
 40. 00 Set a gr. Sec. post from which in Mound in  
 Prairie  
 43. 50 Leave the Prairie  
 58. 40 An Ash 24 in. diam.  
 80. 00 Set a Post cor. to Secs. 32 & 33 from which  
 an Ash 14 in. diam. bears S. 51 E. 7 links dist. &  
 a Do 40 " " " North 39 " "  
 Land level and covered with water.  
 Timber. Maple. Swamp Ash. & Willow.

West On South Boundary of Sec. 32 T. 31. N. R. 11 E.  
 8. 00 Set Post in Swamp on Margin of Lake. from which  
 an Ash 14 in. diam. bears N. 23 W. 20 links dist. &  
 a Do 18 " " " S. 32 E. 19 " "  
 Dec. 5<sup>th</sup> 1839  
 Established Cor. of Secs. 31 & 32. from which  
 an Elm 12 in. diam. bears N. 48 E. 18 links dist. &  
 a Do 7 " " " N. 12 W. 11 " "  
 East On South Boundary of the 32.  
 19. 00. Aborted Birch  
 20. 67 A Buckeye 15 in. diam.  
 40. 00 Set a gr. Sec. post from which

## T 29 N. R 11 E Ind. Mer. Indiana.

a W. Ash 9 in. diam. bears S. 82 1/2 W. 75 links dist. &  
 a Do " " " N. 64 E. 65 " "  
 47.50 Little River 2.50 links wide. Course S. of W.  
 Set Post from which  
 a W. Ash 7 in. diam. bears N. 42 W. 126 lks. dist. &  
 a No other tree near  
 Land level & met Bottem. Timber. Elm, Ash,  
 Buckeye, & Willow.

West On South Boundary of Sec 31 T 30 N. R 11 E.  
 24.25 A Hickory 16 in. diam.  
 40.00 Set a q. Sec. post from which  
 a W. Oak 16 in. diam. bears N. 20 W. 32 lks. dist. &  
 an Elm 9 " " " N. 61 1/2 E. 40 " "  
 56.25 Intersect the Range line 69 links South of  
 where the Range line intersects the reserve line  
 Set a Post Cor. to Towns 29 & 30 from which  
 a Birch 13 in. diam. bears N. 48 E. 61 links dist. &  
 a W. Ash 5 " " " S. 52 1/2 E. 50 " "  
 Land level & rich; Timber. W. Ash. Elm. Birch  
 Hickory. &c.  
 Monday Jan 21<sup>st</sup> 1824.

Surveyed by  
 William Brookfield D.S.

West Boundary  
 North On East Boundary of Sec 36 T 29 N. R 10 E.  
 27.53 A Birch 20 in. diam.  
 40.00 Set a q. Sec. post. from which  
 a W. Oak 22 in. diam. bears S. 76 E. 22 links dist. &  
 a Birch 30 " " " N. 76 W. 75 " "  
 41.33 A Do 24 " " Old sight tree  
 80.00 Set a Post Cor. to Sec. 25 & 36 from which  
 a Birch 20 in. diam. bears S. 82 E. 17 links dist. &  
 a Syc 30 " " " N. 82 W. 50 " "  
 Land rolling. Timber. Ash. Elm. Sugar. Hickory.

359

T 29 N. R. 11. E. Ind. Mer. Indiana.

Poplar. Lynn. &c. Undergrowth Spice &c.

North	On East Boundary of Sec. 25. T 29 N. R. 10 E.
2. 00	A Stream 6 links wide. Course E.
30.78	A Beech 24 in. diam.
40.00	Set a gr. Sec. post from which a Beech 22 in. diam. bears N. 41 E. 30 links dist. & a Do 10 " " " S. 79 W. 18 " "
46. 56	Longlois Creek 60 links wide. Course N. W.
50.00	Same Stream. Course N. E.
52.00	Do Do " N. W.
57.00	Do Do " N. E.
65.83	A Beech 14 in. diam.
71. 50	Longlois Creek. Course N. W.
76.00	Same Stream " N. E.
80.00	Set a Post Corner to Sec. 24 & 25 from which a Lynn 18 in. diam. bears N. 61 W. 57 links dist. & an Elm 24 " " " S. 35 W. 65 " "
Land South $\frac{1}{2}$ Rolling & good North $\frac{1}{2}$ all level. bottom. The Bottoms on this Creek are narrow & overflowed.	

North	On East Boundary of Sec. 24 T 29 N. R. 10 E.
2. 00	Longlois Creek. Course N. W.
29. 96	A Buckeye 18 in. diam.
40.00	Set a gr. Sec. post from which a W. Oak 18 in. diam. bears N. 25 W. 36 links dist. a Hickory 16 " " " S. 57 W. 16 " "
43. 57	A W. Oak 36 in. diam. (old right tree.)
64. 10	A Do 18 " "
80.00	Set a Post Cor. to Sec. 13 & 24 from which a Beech 14 in. diam. bears N. 44 E. 21 links dist. & a Do 12 " " " S. 69 W. 14 " "
Land Rolling & good. Timber. Beech. Ash. Elm. Sugar. Poplar. Hickory. Lynn. Poplar Buckeye. &c. Underg <sup>th</sup> . Spice &c.	



T 39 N. R. 11. E. 2<sup>nd</sup> Mer. Indiana

North On East Boundary of Sec 13 T 29 N R 10 E,  
 20.97 An Elm 24 in. diam.  
 36.11 A Beech 30 " " (Old sight tree.)  
 40.00 Set a gr. Sec. post from which  
 a Beech 14 in. diam. bears N. 53 W. 23 links dist. &  
 a Dr 36 " " " S. 54 W. 32 " "  
 62.79 An Ash 24 " "  
 80.00 Set a Post Cor. to Sec. 12 N 3 from which  
 a Beech 14 in. diam. bears N. 36 W. 32 links dist. &  
 a Dr 20 " " " S. 54 W. 38 " "  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech. Oak.  
 Sugar. Dipter. Hickory. Lyrn. &c. Undergr.  
 Spice &c.

North On East Boundary of Sec. 12. T 39 N. R. 10 E  
 16.50 A Hockam 15 links wide. Course W.  
 19.94 A Beech 18 in. diam.  
 24.08 A Lyrn 24 " " (An old sight tree.)  
 40.00 Set a gr. Sec. post from which  
 a Beech 6 in. diam. bears N. 67 W. 27 links dist. &  
 an Ironwood 6 in. " " S. 8 W. 29 " "  
 71.25 A Sugar 24 " "  
 80.00 Set a Post Cor. to Sec. 1 N 2 from which.  
 a Beech 10 in. diam. bears N. 16 W. 35 links dist. &  
 a Dr 18 " " " S. 78 W. 53 " "  
 Land rolling & good 2<sup>nd</sup> rate. Timber. Beech. Oak.  
 Elm. Ash. Sugar. Lyrn. Hickory. Walnut.  
 Buckeye. &c. Undergrowth. Spice &c.

North On East Boundary of Sec 1 T 29 N R 10 E.  
 21.92 A Black Oak 36 in. diam.  
 40.00 Set a gr. Sec. post from which.  
 an Ash 36 in. diam. bears N. 48 W. 28 links dist. &  
 a Dr 24 " " " S. 30 W. 44 " "  
 42.90 Intersect the Left Bank of Little River and  
 set post between Sec. 1 & 6 from which.

T29 N. R 11 E 2<sup>nd</sup> Mer. Indiana. 361

December 2<sup>nd</sup> 1839

- an Ash 36 in<sup>t</sup>. diam. bears N. 83 E. 17 links dist &  
an Elm 28 " " " S. 73 W. 31 " "  
44. 40 Set Post on the N.W. Bank of Little River. from which  
an Elm 6 in<sup>t</sup>. diam. bears N. 39 W. 18 links dist &  
a Do 14 " " " N. 84 E. 18 " "  
66. 86 A B. Oak 9 " "  
67. 75 Intersect the Indian Reserve at Racheon Village  
and set a Post cor. to Sec 1. from which  
a Hickory 5 in<sup>t</sup>. diam. bears S. 28 W. 10 links dist &  
a Sycamore 6 " " " N. 33 E. 6 " "  
85 10 Set a Temporary Post. Cor. to Towns 29 & 30.  
Range 10 1<sup>st</sup> East. in Indian Reservation.  
Land level & not being overflowed Bottom (swampy)  
of Little River.

Dec 2<sup>nd</sup> 1839

Surveyed by  
C. Carter

Subdivisions

North Between Sec. 35 & 36

12. 28 A Walnut 36 in<sup>t</sup>. diam.

26. 57 A Beech 12 " "

40. 00 Set a q<sup>r</sup>. Sec post from which

a Beech 16 in<sup>t</sup>. diam. bears N. 87 E. 33 links dist &

a Buckeye 8 " " " S. 16 W. 13 " "

50 42 A Burr Oak 20 in<sup>t</sup>. diam.

65. 15 A Beech 15 " "

80. 00 Set a Post cor. to Sec. 25 26. 35 & 36 from which

a Black Oak 12 in<sup>t</sup>. diam. bears N. 21 E. 5 links dist &

a Beech 28 " " " S. 57 W. 18 " "

Land a little rolling and good 2<sup>nd</sup> rate. Timber.

Beech. Sugar. Ash. Elm. Walnut Buckeye

Hickory. Gum. &c. Underg<sup>th</sup>. Spice &c.

East On Ransom between Sec. 25 & 36

81. 00 Intersect the East Boundary 4.04 links North of Post.

T<sup>2</sup>g N. R. 11 E. 2<sup>nd</sup> Mer. Indiana.

Land level and dry 2<sup>nd</sup> rate. Timber. Beech  
Oak Ash. Elm Sugar. Poplar. Walnut. Linn.  
Vc Underg<sup>th</sup> Spice. P. Ash. Vc.

West Connected between Sec. 25 & 26  
10.68 An Elm 20 in. diamt.  
33.27 A Beech 18 " "  
40.50 Set a gr. Sec. post at aver. dist. from which  
a W. Oak 36 in. diam. bears N. 45 E. 20 links dist. &  
a Linn 14 " " " S. 10 W. 24 " "  
53.09 An Elm 20 " "  
65.80 A Hickory 16 " "  
81.00 To Sec. Corner

North Between Sec. 25 & 26  
11.03 An Elm 14 in. diamt.  
28.03 A Burr Oak 36 in. "  
40.00 Set a gr. Sec. post from which  
an Ash 24 in. diam. bears S. 41 E. 19 links dist. &  
a Do 10 " " " N. 27 W. 5 " "  
49.77 A Maple 16 " "  
67.24 A W. Oak 28 " "  
80.00 Set a Dist. cor. to Sec. 23. 24 25 & 26 from which  
an Asp. 14 in. diam. bears N. 13 E. 28 links dist. &  
a Do 10 " " " S. 71 W. 24 " "  
Land level & met. and almost covered with  
water. Timber; Oak. Elm Maple. Hickory. Vc.

East On Random between Sec. 24 & 25.  
80.76 Intersect the N & S line. or East Boundary 92  
links North of the Dist.

Land level & dry 2<sup>nd</sup> rate. This line runs  
entirely through an Old Wind-fall grown up  
with Young. Asp. Oak. Elm. Ash. Vc.

West Connected between Sec. 24 & 25.

363

T 29 N. R 11 E 2nd Mer. Indians.

11. 47	An Ash 12 in. diam.
27. 31	An Elm 10 " "
40. 38	Set a gp. Sec. post at over. dist. from which an Ash 8 in. diam. bears N. 71 E. 21 links dist. & an Elm 14 " " " S. 23 W. 25 " " "
52. 27	An Elm 15 " "
65. 29	A Do 15 " "
80. 76	To the corner.

North	Between Sec. 23 & 24
14. 13	An Ash 14 in. diam.
19. 00	Enter Willen Swamp.
35. 00	Leave Swamp.
40. 00	Set a gp. Sec. post from which a Cottonwood 18 in. diam. bears S. 82 E. 11 links dist. & a Burr Oak 18 " " " S. 73 W. 24 " "
49. 80	An Ash 12 " "
59. 76	A Hickory 10 " "
80. 00	Set a Post Cor to Sec. 13 14. 23 & 24 from which an Elm 16 in. diam. bears N. 84 E. 7 links dist. & a Do 18 " " " S. 56 E. 18 " "
	Land about 1/2 mile W. North 1/2 dry good land. Timber Oak. Ash. Elm. Hickory Poplar. &c.

East	On Random between Sec. 13 & 24
80. 00	Intersect the East Boundary 79 links North of the Post. Land level dry & good. Timber Buck. Oak. Ash, Elm, Hickory, Poplar, Gum, &c. Undergr. Spice. &c.

West	Corrected between Sec. 13 & 24
10. 43	A W Oak 40 in. diam.
27. 57	An Elm 24 " "
40. 00	Set a gp. Sec. post. from which a Sugar 15 in. diam. bears N. 71 E. 21 links dist. &



## T 29 N. R. 10. E. Ind. Mer. Indiana.

an Elm 24 in. diam. bears S. 70 W. 26 lks dist.  
 53.14 An Ash 36 " "  
 67.37 A Hickory 10 " "  
 80.00 To Sec. Corner.

December 3. 1839.

North Between Sec. 13 & 14

1.00 Road from Fort Wayne to Indianapolis  
 10.79 An Elm 30 in. diam.  
 28.45 An Ash 30 " "  
 40.00 Set a q. the post from which  
 a Lynn 12 in. diam. bears S. 39 E. 4 links dist. &  
 a W. Oak 15 " " " N. 22 E. 14 " "  
 56.90 An Elm 22 " "  
 74.65 A Beech 20 " "  
 80.00 Set Post Cor. to Sec. 11. 12. 13 & 14 from which  
 an Ash 18 in. diam. bears N. 28 W. 43 links dist. &  
 a Do 36 " " " S. 11 E. 21 " "  
 Land level + nat. Timber: Beech Oak. Elm.  
 Ash. Hickory. Lynn. &c. Underg<sup>th</sup>. Spice.  
 P. Ash. &c.

East On Random between Sec. 12 & 13

39.00 A Stream 10 links wide. Course N. W.  
 61.50 A Do 12 " " " North.  
 78.20 Intersect the East Boundary 54 links North  
 of the Post  
 Land rolling + good. 2<sup>nd</sup> rate. Timber Beech  
 Ash. Oak Elm. Poplar. Hickory. Lynn. &c.  
 Underg<sup>th</sup>. Spice &c.

West Corrected between Sec. 12 & 13

12.77 A Poplar 15 in. diam.  
 26.20 A Hickory 18 " "  
 39.10 Set a q. the post pt over dist. from which  
 a Buckeye 24 in. diam. bears S 88 E 9 links dist. &

S 29 N. R 10 E 2<sup>nd</sup> Mer. Indiana.

365

an Elm 14 in. diam. bears S 30 W 33 links dist &  
 49.95 A Beech 18 " "  
 67.90 A Syc 12 " "  
 78.20 To Sec. Corner

North Between Sec. 11 & 12.

10.12 A Beech 18 in. diam.

33.36 A W. Oak 36 in. diam.

40.00 Set a q. Sec. post, from which  
 a Sugar 12 in. diam. bears N. 43 W. 11 links dist &  
 a Do 12 " " " S 21 E 22 " "

51.50 A Syc 16 " "

70.89 A Beech 24 " "

80.00 Set a Post Cor. to Sec. 1. 2. 11 & 12. from which  
 an Ash 10 in. diam. bears S. 50 E. 31 links dist &  
 a W. Oak 30 " " " S. 57 E. 11 " "

Land rolling & good 2<sup>nd</sup> rate. Timber. Beech.  
 Oak. Ash. Elm. Sugar. Hickory. Syc  
 Walnut. Poplar. &c. Undergrowth Spice &c.

East On Random between Sec. 1 & 12

77.00 Intersect the E. Boundary 58 links North of Post  
 Land rolling & good. 2<sup>nd</sup> rate. Timber. Beech.  
 Oak. Ash. Elm. Poplar. Walnut. Hickory.  
 Syc. &c. No Undergrowth.

West Corrected between Sec. 1 & 12

10.80 A Hickory 18 in. diam.

29.17 A Beech 24 " "

38.50 Set a q. Sec. post from which  
 a W. Oak 30 in. diam. bears N. 77 E. 61 links dist &  
 a Do 24 " " " S. 66 W. 72 " "

51.15 an Elm 15 in. diam.

66.14 A W. Oak 40 " "

77.00 To Sec. Corner.

December 4<sup>th</sup> 1831

T 29 N. R 11 E 2<sup>d</sup> Mer. Indiana.

North Between Sec. 1 &amp; 2

18.61 A Hickory 15 in. diam.

29.97 A Beech 18 " "

31.76 Intersect S.E. Boundary of Grant S. 39. to  
 White Racoon & Set a Post from which  
 an Ash 14 in. diam. bears N 10 W 11 links dist. &  
 a P 12 " " " S. 38 W. 22 " "  
 Measured thence N 45 E along said Boundary  
 46. ch & 40 links to the East Corner. and  
 S. 45 W. 33.60 to the South Corner.

Land level dry and good. Timber. Beech  
 Ash. Oak Elm. Hickory Poplar. Sugar.  
 Syc. &c.

North Between Sec. 34 &amp; 35

9.50 A W. Oak 35 in. diam.

30.98 An Ash 10 " "

40.00 Set a good post from which  
 a Beech 15 in. diam. bears N 10 E. 26 links dist. &  
 a P 16 " " " South 27 " "

51.94 A Sugar 12 " "

75.59 A W. Oak 30 " "

80.00 Set a post Cor. to Sec. 26 27. 34 & 35. from which  
 a Beech 16 in. diam. bears N 59 E 49 links dist. &  
 a W. Oak 18 " " " N. 88 W. 26 " "

Land level & dry 2<sup>d</sup> rate. Timber. Beech. Oak.  
 Ash. Elm. Sugar. Poplar. Syc. &c.  
 Underg<sup>th</sup> Spice. &c.

East On Random between Sec. 26 &amp; 35

79.76 Intersect the N &amp; S line 94 links North of Post.

Land level & dry 2<sup>d</sup> rate. Timber Beech.

Elm. Ash. Hickory Poplar. Sugar. Syc. &c.  
 Underg<sup>th</sup> Spice. &c.

West Connected between Sec. 26 &amp; 35

# 367

## T 29 N. R 11 E 2nd Mer. Indiana.

- 15 81 An Elm 24 in. diamt.  
 34. 55 A Beech 20 " "  
 39. 88 Set a gr. Sec. post at aver. dist. from which  
 an Ironwood 9 in. diamt. bears N. 28 W. 10 links dist.  
 & a Blk. Oak 24 " " " S. 15 W. 28 " "  
 51. 49 An Elm 24 " "  
 68. 53 An Ash 6 " "  
 79. 76 To Sec. Corner.

- North Between Secs. 26 & 27  
 12. 82 A W. Oak 18 in. diamt.  
 26. 10 A Do 22 " "  
 40. 00 Set a gr. Sec. post from which  
 a Beech 18 in. diamt. bears N. 48 E. 7 links dist. &  
 a Do. 20 " " " S. 15 W. 31 " "  
 50. 92 A Beech 18 in. diamt.  
 57. 14 An Ash 18 " "  
 67. 57 Enter Willon Swamp  
 80. 00 Leave Swamp & set Post Cor. to Secs. 22. 23. 26 & 27  
 from which an  
 Elm 15 in. diamt. bears N. 37 E. 12 links dist. &  
 a Burr Oak 6 in. " " S. 87 W. 9 " "  
 Land except Swamp level & dry. Soil good  
 2nd rate. Timber. Beech. Oak. Ash. Elm.  
 Hickory, Sugar. Poplar. Gyn. &c.  
 Underg. Spice. &c.

- East On Random between Secs. 23 & 26  
 , 50 Enter Willon Swamp  
 37. 00 Leave the same  
 80 34 Intersect the N & S line 70 links North of Post.  
 Land level & rich. The timbered part of  
 it is an old Mound full grown up with young  
 saplings

- West Connected between Secs. 23 & 26



11. 80 A Lynn 6 in. diam.  
 27. 88 A Hickory 12 " "  
 40. 17 Set a g. Sec. post at westerly dist. from which  
 a Red Oak 18 in. diam. bears S. 22 W. 24 links dist. &  
 an Elm 10 " " " N. 22 W. 34 " "  
 80. 34 To Section Corner.

North Between Sec. 22 & 23

12. 40 A Beech 20 in. diam.  
 14. 00 Road from St. Wayne to Indianapolis  
 29. 77 A Beech 12 in. diam.  
 40. 00 Set a g. Sec. post from which  
 an Elm 14 in. diam. bears N. 23 E. 14 links dist. &  
 a Beech 20 " " " S. 59 W. 34 " "  
 56. 52 An Elm 8 " "  
 69. 38 A Beech 16 " "  
 80. 00 Set a Post Cor. to Sec. 14. 15 22 & 23 from which  
 a Beech 10 in. diam. bears N. 73 E. 33 links dist. &  
 a Sugar 30 " " " N. 68 W. 5 " "  
 Land level dry 2nd rate. Timber. Beech. Oak.  
 Elm. Ash. Sugar. Hickory. Lynn. &c  
 Dec. 10th 1839.

East On Random between Sec. 14 & 23

41. 50 Road from St. Wayne to Indianapolis  
 54 00 Enter Willen Swamp  
 60 00 Same same  
 80 69 Intersect N & S line 57 links North of the Post.  
 Land level & dry 2nd rate. Timber. Beech.  
 Oak Elm Ash. Sugar. Poplar. Hickory. Lynn.  
 &c. Undergrowth. Spice &c

West Corner between Sec. 11 & 14

18. 96 A Black Oak 20 in. diam.  
 31. 00 A Mulberry 12 " "  
 40. 30 Set a g. Sec. post from which (at westerly dist.)

369

T 29 A. R. 11 East 2<sup>d</sup> Mer. Ind. Indiana

a Maple 20 in. diam. bears N. 74 W. 4 links dist. &  
 a Do 30 " " " S. 38 W. 17 " "  
 60.14 A Birch 20 " "  
 80.64 To Sec. Corner

North Between Sec. 14 & 15

23.44 A Maple — in. diam.  
 40.00 Set a gp. Sec. post, from which  
 a Maple 15 in. diam. bears S. 62 E. 13 links dist. &  
 a Blk. Oak 20 " " S. 73 W. 26 " "  
 50.12 An Ash 15 1/2 " "  
 72.79 A Do 18 1/2 " "  
 80.00 Set a Post Cor. to Sec. 10. 11. 14 & 15 from which  
 a Sycamore 18 in. diam. bears S. 28 E. 5 links dist. &  
 a Maple 18 " " " N. 54 W. 15 " "  
 Land level & met. Timber. Birch. Oak. Ash  
 Elm. Maple. Sycamore. Lym. Hickory. &c.  
 Underg<sup>th</sup> Spruce & Prickly Ash.

East On Random between Sec. 11 & 14

22.00 A Stream 10 links wide. Course South.  
 81.04 Intersect the N. V. S. line 31 links North of Post.  
 Land rolling & good; Timber. Birch. Sugar.  
 Elm. Ash. Oak. Walnut. Hickory & Spruce, &c.

West Corrected between Sec. 11 & 14

11.33 A Red Oak 30 in. diam.  
 26.47 A Birch 15 " "  
 40.82 Set a gp. Sec. post from which  
 a Red Oak 24 in. diam. bears N. 68 E. 25 links dist. &  
 an Elm 18 " " " S. 19 W. 35 " "  
 48.81 A Red Oak 30 " "  
 64.57 A Birch 18 " "  
 81.04 To Section Corner.

North Between Sec. 15 & 11

## T 29 N R 11 E 2nd Mer Indiana.

- 11.38 An Ash 24 in. diam.  
 27.74 A Red Oak 24 " "  
 30.20 Intersect the South Boundary of Grant S. 41  
 to Lark. Set Post in said Boundary from which  
 a Sugar 24 in. diam. bears N. 33 E. 7 links dist. &  
 a Beech 18 " " " S. 56 W. 40 " "  
 Measured East along the Boundary 1.18 to the  
 N. E. corner  
 Land Rolling & good 2<sup>nd</sup> rate.  
 December 11. 1839

- North Between Sec. 33 & 34  
 14.50 Road from Ft. Wayne to Indianapolis.  
 15.59 A Beech 24 in. diam.  
 27.43 An Ash 24 " "  
 28.50 A Stream 30 links wide Course S. W.  
 40.77 Set a post from which  
 an Ash 24 in. diam. bears S. 66 W. 24 links dist. &  
 a Hickory 15 " " " N. 13 E. 44 " "  
 55.07 A Sugar 6 " "  
 68.27 A Beech 6 " "  
 80.00 Set Post Cor. to Sec. 27 28 33 & 34 from which  
 a Beech 20 in. diam. bears S. 72 W. 7 links dist. &  
 an Ash 14 " " " N. 34 E. 17 " "  
 Land rolling & good 2<sup>nd</sup> rate. Timber. Beech  
 Sugar. Oak. Ash. Elm. Hickory. Gynn. &c.  
 Undergrowth. Spice &c.

- East On Random between Sec. 27 & 34  
 8.50 A Stream 20 links wide. Course South  
 48.00 Road from Ft. Wayne to Indianapolis.  
 80.24 Intersect the N & S line 1.16 links North of  
 the Post  
 Land rolling 2<sup>nd</sup> rate. Superb White Oak  
 Timber on this line & Beech. Ash. Sugar.  
 Spice. Hawn &c.



371

T 29 N. R 11 E 2nd Mer. Indiana.

West Corrected between Sec. 27 + 34  
 9.45 at Red Oak 36 in. diam.  
 27.63 A Beech 18 " "  
 40.12 Set a gr. Sec. post at av. dist. from which  
 a W. Oak 42 in. diam. bears East 21 links dist. &  
 a Beech 15 " " " N. 27 W. 14 " "  
 52.02 A W. Oak 24 " "  
 68.19 A Buckeye 18 " "  
 80.24 To the Corner.

North Between Sec. 27 + 28.  
 10.50 A Sugar 24 in. diam.  
 25.10 A Beech 36 " "  
 26.00 A Stream 12 links wide. Course S.E.  
 40.00 Set a gr. Sec. post from which  
 a Beech 15 in. diam. bears N. 84 E. 13 links dist. &  
 a Do 24 " " " S. 15 W. 7 " "  
 53.30 An Ironwood, 5 in. diam.  
 69.34 A Red Oak 12 " "  
 80.00 Set Post Cor. to Sec. 21. 22. 27 + 28 from which  
 a Beech 20 in. diam. bears S. 45 W. 12 links dist. &  
 a Maple 24 " " " N. 15 E. 51 " "  
 Land rolling 2nd rate. Timber, Beech, Ash.  
 Timber. Beech. Oak. Ash. Elm, Sugar. Dipter  
 Hickory. Linn. &c. Underg. #. Spice. &c.

East On Random between Sec. 22 + 27  
 76.00 Road from St. Wayne to Indianapolis  
 79.90 Intersect the N + S line 1.40 links North of  
 the Post.  
 Land level + met. Timber. Beech. Oak.  
 Ash. Elm. Hickory. Linn. Maple &c.  
 Underg. #. Spice.

West Corrected between Sec. 22 + 27  
 14.74 A Hickory 20 in. diam.



## T 29 A. R. 11 E 2nd Mer. Indiana.

- 26.91 A Cherry 10 in. diam.  
 39.95 Set a gr. Sec. post at aver. dist. from which  
 a Red Oak 18 in. diam. bears S 12 E 47 links dist. &  
 an Elm 18 " " " N 61 W 3 " "  
 61.30 A Beech 14 " "  
 79.90 To Sec. corner.

North Between Sec. 20 & 22

- 15.24 An Ash 20 in. diam.  
 36.57 A Beech 18 " "  
 40.00 Set a gr. Sec. post from which  
 an Ash 24 in. diam. bears N 6 W 13 links dist. &  
 a Do 12 " " " S. 50 W. 7 " "  
 57.05 A Red Oak 18 in. diam.  
 75.18 An Ash 20 " "  
 80.00 Set a Post Cor. to Sec. 15 16. 21 & 22 from which  
 a Beech 14 in. diam. bears S. 30 E. 33 links dist. &  
 a Red Oak 20 " " " S. 49 W. 24 " "  
 Land level & met. Timber. Beech. Oak. Ash.  
 Elm. Hickory. Linn. Maple. &c. Underg.  
 Spice & Hawth.

December 12<sup>th</sup> 1834

East On Random between Sec. 15 & 22

- 80.04 Intersect N & S line 1.63 links North of Post.  
 Land level & met. Timber, Beech, Oak.  
 Ash, Elm, Hickory. Maple. Linn. &c.  
 Underg. Spice & Hawth.

West Corrected between Sec. 15 & 22

- 21.26 A Sycamore 30 in. diam.  
 40.02 Set a gr. Sec. post from which (at aver. dist.)  
 a Beech 18 in. diam. bears N 44 E. 28 links dist. &  
 a Do 18 " " " S. 11 W. 21 " "  
 49.48 A Beech 24 " "  
 61.73 An Elm 18 " "

372

T29 N. R. 11 E. 2<sup>d</sup> Mer. Indiana.

80.04 To Sec. corner

North Between Sec. 15 & 16

11.91 An Elm 20 in. diam.

32.10 A Cottonwood 10 in. "

40.01 Set a gp. Sec post from which  
a W. Oak 30 in. diam. bears S. 55° W. 9 links dist. &  
a Poplar 18 " " " N. 18° W. 32 " "

55.88 A Spruce 10 " "

68.55 A Burr Oak 20 in. diam.

80.00 Set a Post Cor. to Sec. 9. 10 15 & 16 from which  
a Beech 24 in. diam. bears S. 53° E. 3 links dist. &  
a Do 10 " " " N. 47° W. 24 " "  
Land level & met. Timber. Oak. Ash. Elm.  
Maple. Spruce. Sycamore, Cottonwood &c  
Underg<sup>th</sup>. Spruce & Hem.

East On Random between Sec. 10 & 15

80.06 Intersect the N & S line 1.74 links North of Post.  
Land rolling 2<sup>d</sup> & 3<sup>d</sup> rate Timber. Oak. Ash. Elm.  
Sugar Poplar. Walnut Hickory &c. Underg<sup>th</sup>.  
Spruce &c.

West Corrected between Sec. 10 & 15

17.55 A Hickory 24 in. diam.

31.05 An Ash 24 " "

40.03 Set a gp. Sec post as aver. dist. from which  
a Poplar 15 in. diam. bears N. 51° E. 24 links dist. &  
a Beech 16 " " " N. 64° W. 26 " "

54.08 A Do 20 " "

69.50 An Ash 24 in. diam.

80.06 To Sec. corner.

North Between Sec. 9 & 10

11.41 A Sugar 18 in. diam.

27.71 An Elm 24 " "

T 29 N. R 11 E. 2<sup>nd</sup> Mer. Indiana.

29.23 Intersect the South Boundary of Grant No 41 to Chuk. Set Post in said Boundary, from which a Burr Oak 24 in<sup>3</sup> diam. bears S. 24 E. 37 links dist, & a Do Do 10 " " " S. 75 W. 34 " " Land level and true.  
Measured West along the south Boundary 31 ch. and 97 links. to the S.W. Corner.  
December 13<sup>th</sup> 1839

North Between Sec 32 & 33

10.80 An Ironwood 6 in<sup>3</sup> diam.

29.27 A Beech 26 " "

46.00 Set a gr. the post, from which a Beech 24 in<sup>3</sup> diam. bears N. 68 W. 10 links dist, & an Ironwood 6 in<sup>3</sup> " " N. 17 W. 42 " "

51.86 A Hickory 30 " "

67.93 A Beech 20 " "

80.00 Set a Post Cor. to Sec 28 29 32 & 33 from which a W. Oak 20 in<sup>3</sup> diam. bears N. 26 W. 15 links dist, & a Beech 10 " " " S. 54 W. 6 " "

Land rolling & good 2<sup>nd</sup> rate. Timber. Beech Elm. Sugar. Oak. Hickory. Poplar. Linn. &c Undergr<sup>th</sup> Spice. &c.

East On Random between Sec 28 & 33

81.96 Intersect the N & S line 64 links North of Post

Land rolling 2<sup>nd</sup> rate. Timber. Beech. Ash. Sugar. Oak. Elm. Poplar. Hickory Linn. &c. U. G. Spice

West Corrected between Sec 28 & 33

17.69 A Beech 6 in<sup>3</sup> diam.

28.71 A Sugar 10 " "

40.47 Set a gr. Sec. Post at aver. dist, from which a Maple 18 in<sup>3</sup> diam. bears N. 17 E. 37 links dist, & a Beech 22 " " " S. 82 W. 25 " "

34.12 A Hickory 18 in<sup>3</sup> diam.

Random



374

T 29 N. R 11 E 2<sup>nd</sup> Mer. Indiana,

67.91 A Sugar 20 in. diam.  
81.96 To Sec. corner,

North Between Sec. 28 & 29

9 77 A Sugar 14 in. diam.

20.45 A W. Oak 05 " "

40.00 Set a gr. Sec. post from which  
an Elm 24 in. diam. bears N. 55 E. 16 links dist. &  
a Sugar 12 " " " N. 33 W. 30 " "

49.71 A Beech 10 " "

50.00 A Stream 15 links wide. Course N.

62.86 A W. Oak 48 in. diam.

80.00 Set a Post Cor to Sec. 20 21. 28 & 29 from which  
a Walnut 14 in. diam. bears N. 77 E. 10 links dist. &  
a Cherry 10 " " " S. 50 W. 25 " "  
Land rolling & good. Timber Beech. Sugar.  
Ash. Oak. Elm. Walnut. Hickory. Lym. &c.  
Underg<sup>th</sup> Spice &c.

East On Random between Sec. 21 & 28

81.26 Intersect the N. & S. line 67 links North of Post.  
Land rolling & moderate. Not far an old wind-  
fall, grown up with young saplings, Burr Oak  
Elm. Ash. Hickory, Lym, Sugar. &c.  
Underg<sup>th</sup> Spice & Ironwood.

West Corrected between Sec. 21 & 28

12.95 A W. Oak 24 in. diam.

32.95 A Beech 18 " "

40.63 Set a gr. Sec. post at aver. dist. from which  
a W. Oak 36 in. diam. bears N. 47 E. 24 links dist. &  
an Elm 8 " " " S. 7 E. 17 " "

53.15 A Walnut 14 " "

53.50 A Stream 15 links wide. Course S. W.

66.22 An Ironwood 6 in. diam.

81.26 To Sec. corner.

No 2



North Between Sec. 20 & 21

10 40 A Hickory 20 in. diam.

32. 13 A Do 12 " "

40. 00 Set a gr. Sec. post from which  
a Buck 24 in. diam. bears West 3 links dist. &  
a Do 12 " " " South 14 " "

50 21 An Ash 20 " "

67. 77 A Buck 12 in. diam.

80. 00 Set a Post Cor. to Sec. 16. 17 20 & 21 from which  
a Hickory 20 in. diam. bears N. 66 E. 7 links dist.  
a Do 22 " " " S. 28 E. 10 " "  
Land rolling & good. Timber. Buck Sugar.  
Ash, Oak. Elm. Hickory. Syc. & Underg.  
Spice &c Dec. 14<sup>th</sup> 1859

East On Random between Sec. 16 & 21

47. 00 A Stream 10 links wide. Course South

81. 32 Intersect the N & S line 86 links North of the Post.  
Land West  $\frac{1}{2}$  rolling & good. East  $\frac{1}{2}$  level & not.  
Timber. Buck. Oak. Elm. Ash. Sugar. Syc.  
Hickory. &c. Undergrowth. Spice, & Haws.

West Corrected between Sec. 16 & 21

12. 54 An Elm 20 in. diam.

27. 48 A Buck 24 " "

40. 66 Set a gr. Sec. post from which  
a Buck 20 in. diam. bears N. 32 E. 10 links dist. &  
a Do 14 " " " S. 9 E. 17 " "

57. 88 A W. Oak 40 in. diam.

66. 62 An Elm 24 " "

81. 32 To Sec. Corner.

North Between Sec. 16 & 17

19. 00 A Hickory 15 in. diam.

40. 00 Set a gr. Sec. post from which  
a Buck 24 in. diam. bears N. 6 E. 15 links dist. &

# 376

## T29 S. R. 11 E. Ind. Mer. Indiana

a Beech 18 in. diam. bears S. 19 W. 23 links dist,  
 56.88 A Dr 10 " "  
 77.54 a Hickory 22 in. diam.  
 80.00 Set a Post Cor. to Sec. 8. q. 16 H7 from which  
 a Beech 15 in. diam. bears N. 55 E. 36 links dist &  
 a Dr 10 " " " N. 64 W. 3 " "  
 Land. South  $\frac{1}{2}$  rolling  $\frac{1}{2}$  rate. North  $\frac{1}{2}$  level & wet.  
 Timber, Beech, Oak, Sugar, Elm, Ash, Linn &c.  
 Undergr<sup>th</sup> Spice & Haws

---

East On Random between Sec. 9 H6  
 81.32 Intersect the N & S line 104 links North of the Post.  
 Land level & wet. Timber. Beech, Oak, Ash  
 Elm, Maple, Linn, Sugar, &c. Undergrowth  
 Spice, P. Ash &c

---

West Connected between Sec. 9 H6  
 17.59 A Beech 20 in. diam.  
 30.49 A Dipter 10 " "  
 40.66 Set a gr. Sec. post at aver. dist. from which  
 a Beech 14 in. diam. bears N. 78 W. 27 links dist &  
 a Dr 28 " " " S. 48 W. 42 " "  
 53.36 A Beech 20 " "  
 66.78 A Dr 14 " "  
 81.32 To Sec. Corner.

---

North Between Sec. 8 & 9  
 18.29 A Beech 10 in. diam.  
 32.04 A Dr 15 " "  
 40.00 Set a gr. Sec. post from which  
 a Beech 28 in. diam. bears N. 34 W. 21 links dist &  
 a Dr 15 " " " S. 48 W. 34 " "  
 57.81 An Ironwood 8 in. diam.  
 68.13 A Beech 20 " "  
 76.81 Intersect the S. W. Boundary of Grant No 41. to  
 Sup. Set a Post from which a Sugar 10 in. diam.

## T29 A. R. 10 E 2nd Mer Indiana.

bears N. 43 W. 33 links dist. and a Sugar 12  
in. diam. bears N. 42 E. 25 links dist.

Measured S. 45 E. along the said Boundary  
70. 20. to the S.W. corner of so

Dec. 14<sup>th</sup> 1839

North Between Sec. 31 & 32

14.07 A Buck 24 in. diam.

26.52 A Do 16 " "

40.00 Set a gr. Sec. post from which  
a W. Oak 18 in. diam. bears N. 19 W. 31 links dist. &  
a Buck 15 " " " S. 19 E. 4 " "

48.76 A Do 24 " "

60.50 A Stream 12 links wide. Course W.

66.47 A Buckeye 20 in. diam.

80.00 Set a Post Cor. to Sec. 29 30 31 & 32, from which  
a W. Oak 28 in. diam. bears N. 31 W. 27 links dist. &  
a Buck 10 " " " N. 31 E. 12 " "

Land rolling & 2<sup>nd</sup> rate. Timber. Buck. Oak.  
Ash. Sugar. Elm. Hickory. Buckeye, &c.  
Undergrowth Spice &c.

East On Random between Sec. 29 & 32

13.00 A Stream 8 links wide. Course South.

80.42 Intersect the N & S line 1.48 links North of Post.  
Land rolling 2<sup>nd</sup> rate. Timber, mostly Buck  
with a slight sprinkle of Oak. Sugar. Ash.  
Elm. Hickory. &c. Undergrowth Spice &c.

West Corrected between Sec. 29 & 32

13.93 A Buck 20 in. diam.

33.15 A Do 15 " "

40.21 Set a gr. Sec. post at well dist. from which  
a Buck 18 in. diam. bears S. 34 W. 16 links dist. &  
a Do 24 " " " S. 78 E. 34 " "

55.48 A Buck 8 " "

T 29 S. R. M. E. 2<sup>nd</sup> Mer. Indiana,

378

68, 54 A Beech 20 in. diam.  
80, 42 To Section Corner.

West Between Sec. 30 & 31

59, 00 Longleaf Creek 60 links wide. Course North.  
70, 24 Intersect the West Boundary 79 links South of Post.  
Land rolling & good. Timber. Beech. Ash. Oak.  
Sugar, Elm, Hickory. Lumn. &c. Undergrowth  
Spice &c.

East Corrected between Sec. 30 & 31

9, 92 A Water Beech 6 in. diam.  
30, 24 Set a gr. Sec. post from which  
a Beech 15 in. diam. bears N 53 E 32 links dist. &  
a Do 18 " " " N 81 W 33 " "  
40, 77 A Beech 15 " "  
52, 18 A Do 10 " "  
70, 24 To Sec. Corner.

North Between Sec. 29 & 30

16, 00 A Beech 18 in. diam.  
30, 20 A W. Oak 30 " "  
40, 00 Set a gr. Sec. post from which  
a Beech 20 in. diam. bears S 89 W 5 links dist. &  
a Do 15 " " " S 74 E 7 " "  
41, 50 A Stream 15 links wide. Course West.  
52, 13 An Elm 30 in. diam.  
70, 98 A Beech 30 " "  
80, 00 Set a Post Cor. to Sec. 19, 20, 29 & 30 from which  
a Hickory 14 in. diam. bears N 10 W 20 links dist. &  
an Ash 30 " " " S 2 E 39 " "  
Land rolling 2<sup>nd</sup> note. Timber. Beech. Oak.  
Ash. Elm, Hickory. Lumn. &c. Undergrowth  
Spice &c.

East On Random between Sec. 20 & 29.



T 29 N. R 11 E 2<sup>nd</sup> Mer. Indiana.

79.70 Intersect N & S line 146 links, North of Post.  
Land Rolling & good. Timber. Beech. Sugar.  
Oak. Ash. Elm, Walnut, Hickory, & Unaug.  
Spice &c.

West Connected between Sec. 20 & 29  
10.89 An Ashwood 6 in. diam.  
32.68 A Beech 24 " "  
39.88 Set a q. Sec. post at aver. dist. from which  
a Beech 18 in. diam. bears N. 41 E. 26 links dist. &  
a Do 24 " " " N. 83 W. 26 " "  
53.08 A Beech 18 " "  
63.90 A Do 22 " "  
79.70 To Sec. corner.

December 15<sup>th</sup> 1839

West between Sec. 19 & 30  
14.18 A Dogwood 8 in. diam.  
28.50 Intersect East Boundary of Grant N. 43 to  
White-levn. Set a post in said Boundary  
from which  
an Elm 12 in. diam. bears N. 58 E. 17 links dist. &  
a Buckeye 16 " " " S. 39 W. 31 " "  
Measured North 39.82 to the N.E. corner &  
South 40.18 to the S.E. corner.

North Between Sec. 19 & 20  
11.00 An Ash 20 in. diam.  
12.50 A Stream 6 links wide. Course West  
31.40 A Beech 20 in. diam.  
40.00 Set a q. Sec. post from which  
a Beech 20 in. diam. bears N. 47 W. 17 links dist. &  
a Do 15 " " " S. 5 W. 32 " "  
54.50 A Beech 24 in. diam.  
69.44 A Do 16 " "  
80.00 Set a post com. to Sec. 17 18 19 & 20. from which

a Beech 12 in. diam. bears North 6.15 links dist  
 a Hickory 16 " " " S. 26 W. — " "  
 Land rolling 2<sup>nd</sup> rate. Timber Beech. Oak. Ash.  
 Elm. Sugar. Walnut. Hickory. Gyn. &c.  
 Undergrowth Spice &c.

East On Random between Sect. 17 & 20  
 78. 86 Intersect the N & S line 154 links North of the Post.  
 Land level & 2<sup>nd</sup> rate. Timber. Beech. Oak.  
 Elm. Ash. Hickory. Sugar. Gyn. &c.  
 Undergrowth Spice &c.

West Corrected between Sect. 17 & 20  
 10. 26 An Ash 24 in. diam.  
 26. 95 A Beech 10 " "  
 39. 43 Set a gp. the post at aver. dist. from which  
 a Beech 14 in. diam. bears S. 58 E. 20 links dist. &  
 an Elm 18 " " " S. 86 W. 34 " "  
 53. 70 A Beech 14 " "  
 67. 13 A Dr 12 " "  
 78. 56 To Sec. corner

West On Random between Sect. 18 & 19  
 67. 61 Intersect the West Boundary 98 links South  
 of the Post.  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech. Oak.  
 Elm. Ash. Sugar. Hickory. Gyn. &c.  
 Undergrowth Spice. &c.

East Corrected between Sect. 18 & 19.  
 14. 82 A Beech 16 in. diam.  
 27. 61 Set a gp. the post from which  
 a W. Oak 18 in. diam. bears S. 64 W. 19 links dist. &  
 a Dr 18 " " " S. 71 E. 44 " "  
 A W. Oak  
 41. 08 A W. Oak 42 in. diam.

52.00 at W. Oak 36 in. diam.

67.61 Section Corner.

December 16<sup>th</sup> 1839

North Between Sec. 17 &amp; 18

14.70 at Sugar 24 in. diam.

32.16 at W. Oak 15 " "

40.00 Set a q. Sec post from which  
a Burr Oak 18 in. diam. bears N 16 W. 27 lks dist. &  
an Elm 14 " " " S 26 E 30 " "

51.46 at Buck 14 " "

69.38 at Ash 36 " "

80.00 Set a Post Cor. to Sec. 7. 8. 17 & 18 from which  
a Red Oak 14 in. diam. bears South 11 links dist. &  
a W. Oak 10 " " " N. 20 E. 24 " "  
Land rolling 2<sup>nd</sup> rate. Timber. Beech, Oak  
Ash, Elm, Hickory, Linn. &c.  
Undergrowth. Spice, &c.

East On Random between Sec. 8 &amp; 17

78.00 Intersect N 45 line 170 links North of Post.  
Land level 2<sup>nd</sup> rate. Timber. Beech, Oak.  
Ash, Elm, Hickory, Linn. &c. Undergrowth  
Spice & Hawth.

West Connected between Sec. 8 &amp; 17

18.24 at Buck 20 in. diam.

30.83 at Do 24 " "

39.00 Set a q. Sec post at arer. dist. from which  
a Buck 18 in. diam. bears S 84 E. 29 links dist. &  
a Do 18 " " " S. 3 W. 21 " "

56.10 at Beech 24 " "

65.98 an Iron rod 6 in. diam.

78.00 To Sec. Corner.

West Random between Sec. 7. 18

- 47.50 A Stream 10 links wide. Course S 8 N.  
 56.73 Intersect West Boundary 1.17 links South of the Post.  
 Land rolling 2<sup>nd</sup> rate. Timber. Beech. Oak. Ash.  
 Elm. Hickory. Syc. &c. Undergrowth Spice.

- Grant  
 East Corrected between Sec. 7 & 18  
 14.27 A Sugar 36 in<sup>2</sup> diam.  
 26.73 Set a q. Sec post from which  
 a Beech 18 in<sup>2</sup> diam bears S. 28 E. 24 links dist, &  
 a Ironwood 86 " " " N. 85 W. 3 " "  
 41.93 A Beech 36 " "  
 55.75 A Do 10 " "  
 56.73 To Sec. corner.

- North Between Sec. 7 & 8  
 14.60 A Red Oak 5 in<sup>2</sup> diam.  
 27.10 A W. Oak 10 " "  
 40.00 Set a q. Sec post from which  
 an ash 16 in<sup>2</sup> diam. bears South 5 links dist, &  
 a Beech 14 " " " N. 25 W. 16 " "  
 55.23 Intersect the South Boundary of Grant No 47  
 to Ke-ah-sin-guan.  
 Set a Post from which  
 an Elm 28 in<sup>2</sup> diam. bears S 18 W. 14 links dist, &  
 a W. Oak 40 " " " N. 18 E 38 " "  
 Land not described.

- West Between Sec. 5 & 8  
 Measured from the cor of Sec. 8 & 9 along the  
 S. W. Boundary of Grant No 41 to Suk 1.68  
 links & set a Post from which in said  
 Boundary for the Corner between Sec. 5 & 8  
 from which a  
 W. Oak 24 in<sup>2</sup> diam. bears S. 76 E. 28 links dist & an  
 Ash 20 " " " S. 57 W. 10 " "  
 27.73 Intersect the South Boundary of Grant No 47



T 29 N. R. 11. E 2<sup>nd</sup> Mer. Indiana.

to the ma-ling-man. & Set a Post from which  
 a Beech 18 in. diam. bears N 12 W 33 1/2 links dist. &  
 a Walnut 8 " " " S. 69 W. 20 " "  
 Measured thence along said line N. 64 E. 20.69  
 to the East Corner.

Measured from said East Corner S. 45 E. 12.86  
 to the line between Sections 5 & 8.

West Between Sect. 2 & 11  
 15 97 Intersect the NE Boundary of Grant N 40 to  
 the fence line  
 Set a post in said Boundary. from which  
 a Beech 16 in. diam. bears N. 6 W. 45 links dist. &  
 a W. Oak 18 " " " S. 37 W. 24 " "  
 Measured North 45 East along said Boundary  
 15 ch. & 86 links to the East Corner.

December 18<sup>th</sup> 1839

The South Boundary of this Township is run  
 at about 45' less variation than the East Bound-  
 -ary. Consequently, the East Random lines must  
 intersect some distance North of the line through-  
 -out the Township.

C. Carter

Dep<sup>y</sup> Surveyor.

South Between Sect. 5 & 6  
 15, 25 N W Ash 14 in. diam.  
 19. 12 A Millen on the North Bank of Little River  
 for Meander Post.  
 Land level bottom. Timber. Elm. Sycamore  
 W. Ash. Maple. Buckeye. Prickly ash &c.  
 Monday January 12<sup>th</sup> 1839

William Brookfield.  
 D. S.

## T 29 N. R 11 E 2nd Mer Indiana.

Meanders of Little River in the S.		
Beginning at Range line		
Courses	Distances	Remarks
N 84 E	4.00	
S 53 E	2.00	
S 20 1/2 E	6.50	
S 69 E	13.00	
S 83 1/4 E	4.00	
N 71 3/4 E	6.00	
N 44 1/3 E	9.50	
N 69 E	5.50	
S 81 1/2 E	7.00	
N 34 E	2.50	
N 14 E	3.50	
N 55 E	1.50	
S 82 E	3.50	
N 48 1/2 E	0.50	To Meander Post between Sec. 5 & 6

N 77 1/4 E	5.00	In Sec 5
S 85 1/2 E	7.00	
N 81 1/4 E	4.50	
N 89 1/2 E	8.00	
N 50 E	3.00	To Abvite 20 links wide; Course S E.
N 67 1/2 E	4.50	
S 85 1/2 E	9.00	
N 8 E	6.00	
N 39 E	10.85	To Meander Post on Town line.

T 29 N R 11 E 2<sup>nd</sup> Mer Indiana.

I hereby certify that in pursuance of a Contract with E. J. Haynes Esq<sup>r</sup> Surveyor General of the United States, for the States of Ohio, Indiana, and Michigan, bearing date the 20<sup>th</sup> day of April 1839, and in strict conformity to the laws of the United States and the instructions of the said Surveyor General, I have surveyed and subdivided into Sec<sup>s</sup> Township N<sup>o</sup> 29 (Incl<sup>d</sup>) North of Range N<sup>o</sup> 11 East of the 2<sup>nd</sup> Mer. in the State of Indiana and I further certify that the foregoing are the true original Field Notes of the said survey and subdivisions made under the contract aforesaid.

Certified this 20<sup>th</sup> day December 1839

C. Carter

Dep<sup>y</sup> Surveyor

E. Farguhar  
Wm. Miller } Chainmen

William T. Shaver Marker

I certify that the foregoing transcript of the Field Notes of Township N<sup>o</sup> 29 North of Range N<sup>o</sup> 11 East of the 2<sup>nd</sup> Mer. in the State of Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office

Cincinnati July 26<sup>th</sup> 1844

William Houston  
Spec. Gen<sup>l</sup>